

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product	: Daily 1 [®]
Lot Number	: 340626
Specification No	: 0806
Best-if-used-by	: 06/2029
Checking of raw material analysis certificates	: Conforms
Presentation	: Bottle of Tablets

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Yellow Tablet	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	60	Conforms
4- Weight of capsule	1552.00 mg + - 5%	1586.6 mg (average)
5-Tablet	Bisect Oval Shelac	Conforms


6- Less than 95 per gram

Total plate count	<10,000 cfu/g	Conforms
Total yeast & mold	<1,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative


7- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

8- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 30 minutes	25 minutes
---	----------------------	------------


Signature of Preparer

08/25/2026
Date of Prepared


Signature of Verifier

08/25/2026
Date of Approved

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.